ELSEVIER

Analytica Chimica Acta 369 (1998) 287–289

ANALYTICA CHIMICA ACTA

Author Index

Aaron, J.J., see Pérez, R. 197
Akama, Y., see Tong, A. 11
Ali, A.
—, Shen, H. and Yin, X.
Simultaneous determination of trace amounts of nickel, copper and mercury by liquid chromatography coupled with flow-injection on-line derivatization and preconcentration 215
Almeida, C.M.R., see Vasconcelos, M.T.S.D. 115
Aubard, J., see Pérez, R. 197

Bahsas, H., see Gallignani, M. 57
Bao, L.
—, Tan, H., Duan, Q., Su, X. and Wei, W.
A rapid method for determination of *Staphylococcus aureus* based on milk coagulation by using a series piezoelectric quartz crystal sensor 139
Barahona, E., see Campos, E. 235
Benegas, J.C.
—, Cleven, R.F.M.J. and van den Hoop, M.A.G.T.
Potentiometric titration of poly(acrylic acid) in mixed counter-ion systems: Chemical binding of Cd ions 109
Brajter-Toth, A., see Regino, M. 253
Brunetto, M.R., see Gallignani, M. 57
Bruns, R.E., see Reis, C. 269
Burguera, J.L., see Gallignani, M. 57
Burguera, M., see Gallignani, M. 57

Campos, E.
—, Barahona, E., Lachica, M. and Mingorance, M.D.
A study of the analytical parameters important for the sequential extraction procedure using microwave heating for Pb, Zn and Cu in calcareous soils 235
Carlos de Andrade, J., see Reis, C. 269
Chen, C., see Zhu, L. 205
Chen, I.-L., see Zen, J.-M. 103
Chen, J.-L., see Liu, C.-Y. 225
Ci, Y.-x., see Zhu, L. 205
Cleven, R.F.M.J., see Benegas, J.C. 109

Daunert, S., see Ramanathan, S. 181
Daunert, S., see Ramanathan, S. 189
Duan, Q., see Bao, L. 139

Fane, A.G., see Yang, X.-J. 17
Fang, X., see Fang, Y. 39
Fang, Y.
—, Gong, F., Fang, X. and Fu, C.
Separation and determination of cyclodextrins by capillary electrophoresis with amperometric detection 39
Felidj, N., see Pérez, R. 197
Fernández de Córdova, M.L.
—, Ortega Barrales, P. and Molina Díaz, A.
Sensitive and selective determination of diclofenac sodium in pharmaceutical preparations by solid phase ultraviolet absorptiometry 263
Fu, C., see Fang, Y. 39

Głąb, S., see Wałcerz, I. 129
Gallignani, M.
—, Bahsas, H., Brunetto, M.R., Burguera, M., Burguera, J.L. and Petit de Peña, Y.
A time-based flow injection–cold vapor–atomic absorption spectrometry system with on-line microwave sample pre-treatment for the determination of inorganic and total mercury in urine 57
García-Ayuso, L.E., see Luque de Castro, M.D. 1
Gong, F., see Fang, Y. 39
Gu, R.-A., see Zhang, Y.-Q. 123

Hamilton-Taylor, J., see Lead, J.R. 171
Heineman, W.R., see Hu, Z. 93
Hu, Z.
—, Seliskar, C.J. and Heineman, W.R.
PAN-incorporated Nafion-modified spectroscopic graphite electrodes for voltammetric stripping determination of lead 93

Ikeda, S., see Motonaka, J. 87
Ishizuka, T., see Nakane, K. 79
Iyer, C.S.P., see Prasada Rao, T. 69

Janarthanan, C.
— and Mottola, H.A.
Enzymatic determinations with rotating bioreactors: Determination of glutamate in food products 147

Kageyama, S., see Motonaka, J. 87
Karthikeyan, S., see Prasada Rao, T. 69
Kindy, M.S., see Ramanathan, S. 181
Kluever, L.G., see van Staden, J.F. 157
Koncki, R., see Wałcerz, I. 129

Laassis, B., see Pérez, R. 197
Lachica, M., see Campos, E. 235
Laserna, J.J., see Pérez, R. 197
Lead, J.R.
—, Hamilton-Taylor, J., Peters, A., Reiner, S. and Tipping, E.
Europium binding by fulvic acids 171
Lee, N.-M., see Liu, C.-Y. 225
Lewis, J.C., see Ramanathan, S. 181
Li, J.
Effect of temperature on selectivity in reversed-phase liquid chromatography, a thermodynamic analysis 21
Li, L., see Tong, A. 11
Li, Y.-z., see Zhu, L. 205
Liju, Y., see Qiong, C. 245
Liu, C.-Y.
—, Lee, N.-M. and Chen, J.-L.
γ-Aminobutyrohydroxamate resins as stationary phases of chelation ion chromatography 225
Luque de Castro, M.D.
— and García-Ayuso, L.E.
Soxhlet extraction of solid materials: an outdated technique with a promising innovative future 1

Masuda, S., see Motonaka, J. 87
McCormack, T., see van Staden, J.F. 163
Minagawa, K., see Motonaka, J. 87
Mingorance, M.D., see Campos, E. 235
Mishima, Y., see Motonaka, J. 87
Molina Díaz, A., see Fernández de Córdova, M.L. 263
Moran, R.C.C.P., see Reis, C. 269
Morikawa, H., see Nakane, K. 79
Motonaka, J.
—, Kageyama, S., Mishima, Y., Minagawa, K., Masuda, S. and Ikeda, S.
Determination of iron ion utilizing poly (*p*-vinylbenzoylacetone) modified micro-electrode 87
Mottola, H.A., see Janarthanan, C. 147

Nakane, K.
—, Uwamino, Y., Morikawa, H., Tsuge, A. and Ishizuka, T.
Determination of trace impurities in high-purity aluminium oxide by high resolution inductively coupled plasma mass spectrometry 79

Obrezkov, O.N., see Pirogov, A.V. 47
Ortega Barrales, P., see Fernández de Córdova, M.L. 263

Pérez, R.
—, Rupérez, A., Laserna, J.J., Felidj, N., Laassis, B., Aaron, J.J. and Aubard, J.
A comparison of surface-enhanced Raman spectroscopic and fluorimetric detection of the phenothiazine derivative trifluoperazine and its photooxidation products 197
Peters, A., see Lead, J.R. 171
Petit de Peña, Y., see Gallignani, M. 57
Pin, C., see Yang, X.-J. 17
Pirogov, A.V.
—, Platonov, M.M., Pletnev, I.V., Obrezkov, O.N. and Shpigun, O.A.
Application of the pattern-recognition method for modelling expert estimation of chromatogram quality 47
Platonov, M.M., see Pirogov, A.V. 47
Pletnev, I.V., see Pirogov, A.V. 47
Prasada Rao, T.
—, Karthikeyan, S., Vijayalekshmy, B. and Iyer, C.S.P.
Speciative determination of chromium(VI) and chromium(III) using flow-injection on-line preconcentration and flame atomic-absorption spectrometric detection 69

Qiong, C.
—, Tuzhi, P. and Liju, Y.
Silk fibroin/cellulose acetate membrane electrodes incorporating xanthine oxidase for the determination of fish freshness 245

Ramanathan, S.
—, Lewis, J.C., Kindy, M.S. and Daunert, S.
Heterogeneous bioluminescence binding assay for an octapeptide using recombinant aequorin 181
Ramanathan, S.
—, Shi, W., Rosen, B.P. and Daunert, S.
Bacteria-based chemiluminescence sensing system using β-galactosidase under the control of the ArsR regulatory protein of the *ars* operon 189
Regino, M.
—, Weston, C. and Brajter-Toth, A.
Effect of mobile phase composition on the electrochemical cell conversion efficiency in electrochemistry/mass spectrometry 253
Reiner, S., see Lead, J.R. 171
Reis, C.
—, Carlos de Andrade, J., Bruns, R.E. and Moran, R.C.C.P.
Application of the split-plot experimental design for the optimization of a catalytic procedure for the determination of CR(VI) 269
Rosen, B.P., see Ramanathan, S. 189
Rupérez, A., see Pérez, R. 197

Seliskar, C.J., see Hu, Z. 93
Shen, H., see Ali, A. 215
Shen, W.-D., see Zhang, Y.-Q. 123
Shi, W., see Ramanathan, S. 189
Shih, Y., see Zen, J.-M. 103
Shpigun, O.A., see Pirogov, A.V. 47
Su, X., see Bao, L. 139

Tan, H., see Bao, L. 139
Tan, S., see Tong, A. 11
Tanaka, S., see Tong, A. 11
Tipping, E., see Lead, J.R. 171
Tong, A.
—, Wu, Y., Tan, S., Li, L., Akama, Y. and Tanaka, S.
Aqueous two-phase system of cationic and anionic surfactant

mixture and its application to the extraction of porphyrins and metalloporphyrins 11
Tsuge, A., see Nakane, K. 79
Tuzhi, P., see Qiong, C. 245

Uwamino, Y., see Nakane, K. 79

van den Hoop, M.A.G.T., see Benegas, J.C. 109
van Staden, J.F.
— and Kluever, L.G.
Determination of sulphide in effluent streams using a solid-phase lead(II) chromate reactor incorporated into a flow-injection system 157
van Staden, J.F.
— and McCormack, T.
Sequential-injection spectrophotometric determination of amino acids using 2,4,6-trinitrobenzenesulphonic acid 163
Vasconcelos, M.T.S.D.
— and Almeida, C.M.R.
Electrochemical study of proton ionisation, copper(II) complexation and surfactant properties of piperazine- *N*-*N*′-bis[2-hydroxypropanesulfonic acid] pH buffer. Comparison with other N-substituted aminosulfonic acids pH buffers 115
Vijayalekshmy, B., see Prasada Rao, T. 69

Wałcerz, I.
—, Głąb, S. and Koncki, R.
Potentiometric enzyme electrode in a flow injection system for the determination of urea in human serum samples 129
Wei, W., see Bao, L. 139
Weston, C., see Regino, M. 253
Wu, Y., see Tong, A. 11

Xue, R.-Y., see Zhang, Y.-Q. 123

Yang, X.-J.
—, Pin, C. and Fane, A.G.
Hollow fiber membrane chromatography: A novel analytical system for trace metal separation 17
Yin, X., see Ali, A. 215

Zen, J.-M.
—, Chen, I.-L. and Shih, Y.
Voltammetric determination of serotonin in human blood using a chemically modified electrode 103
Zhang, Y.-Q.
—, Shen, W.-D., Gu, R.-A., Zhu, J. and Xue, R.-Y.
Amperometric biosensor for uric acid based on uricase-immobilized silk fibroin membrane 123
Zhu, J., see Zhang, Y.-Q. 123
Zhu, L.
—, Chen, C., Li, Y.-z. and Ci, Y.-x.
Enhancement effect of Brij-35 on the hemin-catalyzed fluorogenic reaction between hydrogen peroxide and *N*,*N*′-dicyanomethyl-*o*-phenylene diamine 205